

NASA SMALL BUSINESS PROGRAM HELPS HYDROGEN FLAME IMAGING SYSTEM SOAR TO NEW, DIFFERENT HEIGHTS

When Judy and Dave Duncan of Auburn, Calif.-based Duncan Technologies Inc. (DTI) developed their color hydrogen flame imaging system in the early 1990's, their market prospects were limited.

"We talked about commercializing the technology in the hydrogen community, but we also looked at commercialization on a much broader aspect. While there were some hydrogen applications, the market was not large enough to support an entire company; also, safety issues were a concern," said Judy Duncan, owner and CEO of Duncan Technologies.

Using the basic technology developed under the Small Business Innovation Research Program (SBIR); DTI conducted market research, identified other applications, formulated a plan for next generation development, and implemented a far-reaching marketing strategy. "We took that technology; reinvested our own funds and energy into a second-generation design on the overall camera electronics and deployed that basic technology initially in a series of what we call multi-spectral cameras; cameras that could image in both the visible range and the infrared," explains Duncan. "The SBIR program allowed us to develop the technology to do a 3CCD camera, which very few companies in the world do, particularly not small companies. The fact that we designed our own prism and specked the coding as we had for the hydrogen application, we were able to create a custom spectral configuration which could support varying types of research and applications." As a result, Duncan Technologies Inc. of Auburn, Ca., has achieved a milestone \$ 1 million in sales.

HOW THE SYSTEM WORKS

The system uses three different sensors to visually detect the flame—two sensors in the near infrared and one in the visible portion of the electromagnetic spectrum. Of the two near-infrared sensors, one is centered at a spectral band that picks up strong water vapor emissions from the flame, while the other is at a band that detects minimal emissions to measure just the background image.

The flame is detected by subtracting the background image from the flame image and filtering the result. This process isolates an image of the hydrogen flame and then superimposes it into a color video image. The camera system uses state-of-the-art, low-cost, charge-coupled device (CCD) technologies to produce a color image of invisible hydrogen flames.

If there is not a hydrogen fire present, the user sees normal color video of the scene. If a flame is present, the user sees a red depiction of the flame overlaid on the color video. The system has the capability to detect a three-inch flame from up to 150 feet away.

“We felt that by isolating the flame image and then overlapping it onto standard color video, the resulting image would be more useful to the end user. Additionally, when no fire is present the camera can be used as a standard color surveillance camera,” explains Judy Duncan. DTI was granted a patent on the hydrogen flame imaging system in October 1997.

HOW NASA BENEFITED

NASA’s John C. Stennis Space Center used the prototype system developed to monitor hydrogen flame stacks during turbopump and other rocket component testing at its E-2 Facility. Stennis also purchased six systems for use in its E-1 Facility for use in testing hybrid rocket motors, turbo machinery, and small rocket engines. Bud Nail, NASA technical systems lead engineer at the time, decided after seeing the prototype that his job would be made safer by using the system. “There’s simply nothing else on the market that performs the way this system does,” Nail said. “It takes the guess work out in identifying the hydrogen fire.”

WHAT IS THE FUTURE

Duncan Technologies found a solid market in remote sensing, where multi-spectral imaging was well established. “There was a great market there for us because there were no digital cameras; 3CCD allowed us to image a specific band that we were after,” said Judy Duncan. “Our largest standing market is creating a camera that is similar to the Landsat spectral band; this allows people with a local camera under local control either on the ground or aurally to acquire imagery that matches the satellite Landsat

imagery. And it turns out that's not in direct competition with the satellites; it's a good complementary technology."

Software and analysis tools available today allow users to mix those data types, opening the market to people in a variety of fields such as precision agriculture, forestry management, environmental applications, industrial inspections, and petroleum companies. The company has also gotten involved in some other arenas of multi-spectral imaging. We are working with some groups that are doing research on multi-spectral imaging for the poultry processing industry to detect fecal contamination, as well as, fruit and vegetable producers where you can see some of the defects with multi-spectral imaging that you can not see with a normal, visible camera. Working off of the basic architecture that we created for the camera, we have continued to develop more generic digital cameras, standard RGB, three-chip cameras, and single-chip cameras using the same fairly sophisticated digital imaging."

The next generation cameras include single-chip and remote hand cameras that contain the camera electronics in a box and the small imaging sensors on the end of a cable so they can be positioned more easily and three of them can be operated at once.

WHY SBIR WAS IMPORTANT

"The SBIR program enabled us, through a combination of development funds and our own reinvestment, to bootstrap and commercialize the technology into several different markets. We still follow a strategy of working within the SBIR program to address the government's needs, enhance our technology, and continue the development of commercial products," said Duncan.

SBIR is a highly competitive multi-phase program that provides small U.S. businesses with federal funds reserved for conducting serious research and development. Phase I is the start-up segment with awards up to \$70,000; if chosen, Phase II awardees are granted up to \$600,000 to conduct research and development for two years. The SBIR Program at Stennis Space Center is managed through the Office of Technology Transfer; for more information regarding the NASA Small Business Innovation Research Program contact the Office of Technology Transfer at Stennis Space Center at (228) 688-1929 or visit our website at <http://technology.ssc.nasa.gov>.

Duncan Color Imaging System

Duncan Technologies, Inc. (DTI), Auburn, CA

Innovation



-The DTI color imaging system provides high quality multispectral imaging for a variety of applications. Building upon the technology originally developed under the SBIR program the next generation camera has given the company a foothold in more generic arenas.

Accomplishments

- Next generation products have reached \$1 million in sales; building on the original technology DTI invested their own funds and energy into a second-generation design on the overall camera electronics and deployed that technology into a series of multi-spectral cameras. These cameras could image in both the visible range and the infrared.
- By designing their own prism and specking the coding, DTI was able to create a custom spectral configuration.
- Single-chip and remote hand held cameras allow for ease of positioning and operation.

Commercialization

- The system has been generalized into a family of multispectral digital cameras. Both area scan and line scan formats are available. The cameras provide three to five bands of color and near infrared imaging in the spectral range from 400-1100nm. Output is available in digital and analog video formats. The acquired images are co-registered to within a fraction of one pixel.
- The multispectral camera products are "smart cameras" that provide advanced signal processing and remote control via RS-232 input.
- Target applications include machine vision for inspection of produce, meat, lumber, and textiles; certainly a step removed from the original application of hydrogen flame detection.
- The multispectral product line has generated worldwide interest. The first products were launched in the summer of 99. Next generation sales have now topped \$1 million.



Next generation cameras provide higher resolution and ease of handling

Government/Science Applications


- Stennis Space Center use the prototype system developed through the SBIR program to monitor hydrogen flame stacks during turbopump and other rocket component testing at its E-2 Facility.
- Stennis purchased six systems for use in its E-1 Facility for use in testing hybrid rocket motors, turbo machinery and small rocket engines.
- Today the Duncan camera has a solid market in remote sensing applications; people on the ground or aerially can acquire imagery with higher resolution than imagery provided from satellites.




NASA Office of Technology Transfer

John C. Stennis Space Center

Hydrogen Flame Imaging System Soars to New, Different Heights



DT1100



DT4000



Duncan Technologies newest cameras the DT1100 and DT4000 along with examples of images taken with the cameras.

Initial markets for the imaging system included hydrogen suppliers, refineries, petroleum companies, food and semiconductor processors, the fertilizer industry, cosmetics companies, the hydrogen vehicle monitoring and maintenance industry, and the racecar industry. Today, in its next generation, the Duncan camera creates higher resolution images that have given the company a foothold in several more generic arenas including industrial inspections, scientific imaging applications, and even amusement park rides.

When Judy and Dave Duncan of Auburn, Calif.-based Duncan Technologies Inc. (DTI) developed their color hydrogen flame imaging system in the early 1990s, their market prospects were limited. "We talked about commercializing the technology in the hydrogen community, but we also looked at commercialization on a much broader aspect. While there were some hydrogen applications, the market was not large enough to support an entire company; also, safety issues were a concern," said Judy Duncan, owner and CEO of Duncan Technologies.

Using the basic technology developed under the Small Business Innovation Research (SBIR) program;

DTI conducted market research, identified other applications, formulated a plan for next generation development, and implemented a far-reaching marketing strategy. "We took that technology, reinvested our own funds and energy into a second-generation design on the overall camera electronics, and deployed that basic technology initially in a series of what we call multi-spectral cameras; cameras that could image in both the visible range and the infrared," explains Duncan. "The SBIR program allowed us to develop the technology to do a 3CCD camera, which very few companies in the world do, particularly not small companies.

The fact that we designed our own prism and specked the coding as we had for the hydrogen application, we were able to create a custom spectral configuration which could support a varying types of research and applications." As a result Duncan Technologies Inc. of Auburn, CA, has achieved a milestone \$ 1 million in sales.

HOW THE SYSTEM WORKS

The system uses three different sensors to visually detect the flame—two sensors in the near infrared and one in the visible portion of the electromagnetic spectrum. Of the two near-infrared sensors, one is centered at a spectral band that picks up strong water vapor emissions from the flame, while the other is at a band that detects minimal emissions to measure just the background image. The flame is detected by subtracting the background image from the flame image and filtering the result. This process isolates an image of the hydrogen flame and then superimposes it into a color video image. The camera system uses state-of-the-art, low-cost, charge-coupled device (CCD) technologies to produce a color image of invisible hydrogen flames.

If there is not a hydrogen fire present, the user sees normal color video of the scene. If a flame is present, the user sees a red depiction of the flame overlaid on the color video. The system has the capability to detect a three-inch flame from up to 150 feet away. "We felt that by isolating the flame image and then overlapping it onto standard color video, the resulting image would be more useful to the end user. Additionally, when no fire is present the camera can be used as a standard color surveillance camera," explains Judy Duncan. DTI was granted a patent on the hydrogen flame imaging system in October 1997.

HOW NASA BENEFITED

NASA's John C. Stennis Space Center used the prototype system developed to monitor hydrogen flame stacks during turbopump and other rocket component testing at its E-2 Facility. Stennis also purchased six systems for use in its E-1 Facility for use in testing hybrid rocket motors, turbo machinery and small rocket engines. Bud Nail, NASA technical systems lead engineer at the time, decided after seeing the prototype that his job would be made safer by using the system. "There's simply nothing else on the market that performs the way this system does," Nail said. "It takes the guess work out in identifying the hydrogen fire."

WHAT IS THE FUTURE

Duncan Technologies found a solid market in remote sensing, where multi-spectral imaging was well established. "There was a great market there for us because there were no digital cameras; 3CCD allowed us to image a specific band that we were after," said Judy Duncan. "Our largest standing market is creating a camera that is similar to the Landsat spectral band; this allows people with a local camera under local control either on the ground or aerially to acquire imagery that matches the satellite Landsat Imagery.

And it turns out that's not in direct competition with the satellites; it's a good complementary technology." Software and analysis tools available today allow users to mix those data types, opening the market to people in a variety of fields such as precision agriculture, forestry management, environmental applications, industrial inspections, and petroleum companies. The company has also gotten involved in some other arenas of multi-spectral imaging. We are working with some groups that are doing research on multi-spectral imaging for the poultry processing industry to detect fecal contamination, as well as, fruit and vegetable producers where you can see some of the defects with multi-spectral imaging that you can not see with a normal, visible camera. Working off of the basic architecture that we created for the camera, we have continued to develop more generic digital cameras, standard RGB, three-chip cameras, and single-chip cameras using the same fairly sophisticated digital imaging." The next generation cameras include single-chip and remote hand cameras that contain the camera electronics in a box and the small imaging sensors on the end of a cable so they can be positioned more easily and three of them can be operated at once.

WHY SBIR WAS IMPORTANT

"The SBIR program enabled us, through a combination of development funds and our own reinvestment, to bootstrap and commercialize the technology into several different markets. We still follow a strategy of working within the SBIR program to address the government's needs, enhance our technology, and continue the development of commercial products," said Duncan. SBIR is a highly competitive multi-phase program that provides small U.S. businesses with federal funds reserved for conducting serious research and development. Phase I is the start-up segment with awards up to \$70,000; if chosen, Phase II awardees are granted up to \$600,000 to conduct research and development for two years. The SBIR Program at Stennis Space Center is managed through the Office of Technology Transfer; for more information regarding the NASA Small Business Innovation Research Program contact the Office of Technology Transfer at Stennis Space Center at (228) 688-1929 or visit our website at <http://technology.ssc.nasa.gov>.

Points of Contact

- **Duncan Technologies Inc.**
Auburn, CA
PH – 530 888-6565
Web – www.duncantech
E-Mail – info@duncantech
- **NASA Office of Technology Transfer**
Stennis Space Center, MS
PH – 228-688-1929
Web – technology.ssc.nasa.gov
E-Mail – technology@ssc.nasa.gov

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>						
1. REPORT DATE (DD-MM-YYYY) 23-05-2002		2. REPORT TYPE			3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE Hydrogen Flame Inaging System Soars to New, Differenct Heights				5a. CONTRACT NUMBER NAS13-669		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
				5d. PROJECT NUMBER		
6. AUTHOR(S) Technology Development and Transfer Office				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Technology Development and Transfer Office				8. PERFORMING ORGANIZATION REPORT NUMBER SE-2002-05-00043-SSC		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSORING/MONITOR'S ACRONYM(S)		
				11. SPONSORING/MONITORING REPORT NUMBER		
12. DISTRIBUTION/AVAILABILITY STATEMENT Publicly Available STI per form 1676						
13. SUPPLEMENTARY NOTES Periodical						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19b. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			Technology Development and Transfer Office	
U		U	UU	7	19b. TELEPHONE NUMBER (Include area code) (228) 688-1929	